

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

34P 80.3479

POULTRY

Slaughtered under Federal Inspection and Poultry

Used in Canning and Other Processed Foods

October 1962

November 30, 1962

Inspected Poultry

The number of head (chickens, turkeys and ducks combined) inspected under the Poultry Inspection Act carried on by the U.S.D.A. during October 1962 amounted to 195,112,000, compared with 184,260,000 in October 1961. The number of head and pounds (live weight) inspected by classes were: young chickens, 161,116,000 head, 562,187,000 pounds; mature chickens, 17,160,000 head, 80,906,000 pounds; fryer-roaster turkeys, 1,840,000 head, 16,167,000 pounds; young turkeys, 13,964,000 head, 279,908,000 pounds; old turkeys, 64,000 head, 1,179,000 pounds; and ducks 968,000 head, 6,255,000 pounds.

Certified Poultry

The quantity of poultry certified as wholesome in October 1962 totaled 705,371,000 pounds ready-to-cook weight of which 417,418,000 pounds were iced and 287,953,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 408,585,000 pounds; mature chickens, 54,504,000 pounds; fryer-roaster turkeys, 12,494,000 pounds; young turkeys, 223,722,000 pounds; old turkeys, 942,000 pounds; ducks, 4,435,000 pounds; and other poultry 689,000 pounds.

Canned and Processed Poultry

Poultry inspected and used for canning and other processed food in October 1962 totaled 53,986,000 pounds ready-to-cook weight, compared with 40,584,000 pounds in October 1961. The quantity used in October 1962 consisted of 7,331,000 pounds of young chickens, 24,037,000 pounds of mature chickens, 18,982,000 pounds of turkeys, and 3,636,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,548,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.16 percent; mature chickens, 0.30 percent; fryer-roaster turkeys, 0.15 percent; young turkeys, 0.13 percent; old turkeys, 0.03 percent; and ducks, 0.01 percent.

Post-mortem condemnations in October 1962 amounted to 15,471,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.76 percent; mature chickens, 3.03 percent; fryer-roaster turkeys, 1.60 percent; young turkeys, 1.60 percent; old turkeys, 1.23 percent; and ducks 1.40 percent. In October 1961, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.84 percent; mature chickens, 3.03 percent; fryer-roaster turkeys, 1.55 percent; young turkeys, 1.65 percent; old turkeys, 2.01 percent; and ducks, 2.54 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE

Statistical Reporting Service

Crop Reporting Board

Pou 2-1 (11-62)

Washington, D. C.

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

DEC 10 1962

CURRENT SERIAL RECORDS

Poultry: Slaughtered under Federal inspection, October 1962 with comparisons

Class	Number inspected				Pounds inspected (live weight)				Average live weight			
	October		Jan.-Oct.		Sept. : October		Jan.-Oct.		Sept. : Oct.		Jan.-Oct.	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	Thou.	Thou.	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Young chickens	138,840	150,470	161,116	1,497,637	1,500,815	473,543	532,185	562,187	5,117,498	5,108,194	3.41	3.54
Mature chickens	11,585	16,024	17,160	93,829	94,418	55,772	75,227	80,906	460,135	458,533	4.81	4.69
Total chickens	150,425	166,494	178,276	1,591,466	1,595,233	529,315	607,412	643,093	5,577,633	5,566,727	3.52	3.65
Fryer-roasters	1,283	1,893	1,840	13,925	11,253	10,774	16,599	16,167	120,187	97,198	8.40	8.77
Young turkeys	10,449	14,958	13,964	50,288	42,241	193,592	295,444	279,908	910,660	782,364	18.53	19.75
Old turkeys	44	72	64	3,257	2,488	776	1,328	1,179	61,814	47,276	17.64	18.44
Total turkeys	11,776	16,923	15,868	67,470	55,982	205,142	313,371	297,254	1,092,661	926,838	17.42	18.52
Ducks	951	843	968	8,609	8,290	6,052	5,345	6,255	54,162	53,009	6.36	6.34
Other poultry	---	---	---	---	---	559	750	913	2,965	2,916	---	---
Total poultry	---	---	---	---	---	741,068	926,878	947,515	6,727,421	6,549,490	---	---

Pounds certified (ready-to-cook weights)

Class	September 1962				October 1962				January-October 1961				January-October 1962			
	Frozen		Iced		Frozen		Iced		Frozen		Iced		Frozen		Iced	
	Total	Total	Total	Total	Total	Total	Total	Total	Total	Total	Total	Total	Total	Total	Total	Total
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
1,000 pounds	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Young chickens	302,581	40,949	343,530	339,835	45,400	385,235	361,460	47,125	408,585	3,341,684	363,285	3,704,969	3,286,108	409,522	3,695,630	3,695,630
Mature chickens	24,731	13,137	37,868	33,542	17,382	50,924	35,039	19,465	54,504	211,213	106,014	317,227	208,754	105,451	314,205	314,205
Total chickens	327,312	54,086	381,398	373,377	62,782	436,159	396,499	66,590	463,089	3,552,897	469,299	4,022,196	3,494,862	514,973	4,009,835	4,009,835
Fryer-roasters	1,939	6,357	8,296	2,732	10,077	12,809	1,738	10,756	12,494	20,698	72,644	93,342	17,050	58,418	75,468	75,468
Young turkeys	12,244	142,002	154,246	15,417	219,019	234,436	19,069	204,653	223,722	56,304	669,202	725,506	57,828	566,768	624,596	624,596
Old turkeys	69	546	615	195	861	1,056	---	942	942	4,216	45,661	49,877	3,325	34,096	37,421	37,421
Total turkeys	14,252	148,905	163,157	18,344	229,957	248,301	20,807	216,351	237,158	81,218	787,507	868,725	78,203	659,282	737,485	737,485
Ducks	85	4,141	4,226	242	3,492	3,734	106	4,329	4,435	1,539	36,539	38,078	1,146	36,243	37,389	37,389
Other poultry	5	394	399	3	584	587	6	683	689	30	2,102	2,132	24	1,854	1,878	1,878
Total poultry	341,654	207,526	549,180	391,966	296,815	688,781	417,418	287,953	705,371	3,635,684	1,295,447	4,931,131	3,574,235	1,212,352	4,786,587	4,786,587

Poultry: Condemnations of poultry slaughtered under Federal Inspection, October 1962 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight):		Pounds (live weight):		Pounds (N.Y. dressed wt.):		Pounds (N.Y. dressed wt.):	
	October	Percent 1/	October	Percent 2/	October	Percent 2/	October	Percent 2/
	1961	1962	1961	1962	1961	1962	1961	1962
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens :	896	907	0.17	0.16	8,820	8,912	1.84	1.76
Mature chickens :	257	244	0.34	0.30	2,042	2,201	3.03	3.03
Total chickens :	1,153	1,151	0.19	0.18	10,862	11,113	1.99	1.92
Fryer-roasters :	20	24	0.12	0.15	232	233	1.55	1.60
Young turkeys :	377	371	0.13	0.13	4,369	4,026	1.65	1.60
Old turkeys 2/ :	2	-	0.12	0.03	24	13	2.01	1.23
Total turkeys :	399	395	0.13	0.13	4,625	4,272	1.64	1.60
Ducks :	4	1	0.07	0.01	122	79	2.54	1.40
Other poultry :	1	1	0.19	0.06	8	7	1.18	0.85
Total :	1,557	1,548	0.17	0.16	15,617	15,471	1.88	1.82

1/

2/

3/

Poultry: Inspected for canning and other processed foods, October 1962 with comparisons 4/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	September		October		September		October	
	1962	1961	1962	1961	1962	1961	1962	1961
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens :	6,861	6,099	7,331	65,158	9	30	6	94
Mature chickens :	16,320	19,763	24,037	180,958	34	30	12	130
Turkeys :	13,739	11,505	18,982	80,726	10	4	15	33
Other poultry 5/ :	1,865	3,217	3,636	31,047	4	8	7	39
Total :	38,785	40,584	53,986	357,889	57	72	40	296

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ All poultry inspected for canning and other processing. Excludes raw product cut up and packaged. (Data issued currently during 1961 included raw product cut up and packaged in plants other than those in which the birds were slaughtered and eviscerated.)

5/ Poultry parts and fat used in canning that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, October 1961 and 1962

Region and State	Number inspected	Pounds inspected		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations	
		(live weight)		1961 : 1962		(Ready-to-cook wt.)		Pounds (WTD)	
		1961	1962	1961	1962	1961	1962	1961	1962
N. Atl.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent
E. N. Cent.	13,862	50,949	54,588	3.96	3.94	36,233	39,320	848	1.73
W. N. Cent.	3,415	17,244	12,271	3.76	3.59	12,522	8,954	121	1.10
S. Atl.	4,592	21,237	16,576	3.55	3.54	15,182	12,017	228	1.53
S. Atl.	68,885	220,285	241,242	3.53	3.50	160,725	176,479	3,729	1.72
West.	62,357	208,076	222,968	3.42	3.37	150,270	161,413	3,673	1.83
	60,816	14,394	14,542	3.75	3.58	10,303	10,402	313	2.40
U. S.	3,841	532,185	562,187	3.54	3.49	385,235	408,585	8,912	1.76
Maine	150,470	161,116	22,989	4.00	4.00	14,335	17,008	316	1.76
Mass.	5,001	5,745	2,222	4.39	4.06	1,405	1,562	38	2.54
Conn.	446	1,954	3,153	3.91	3.55	2,510	2,164	56	1.62
N. J. 3/	974	3,805	147	4.70	4.78	15	32	---	---
Pa.	24	111	24,225	3.88	3.93	14,929	17,429	297	1.60
Ohio	5,338	6,166	3,034	3.77	3.59	3,888	2,224	57	1.19
Ind.	1,412	5,796	3,777	3.58	3.32	4,180	2,739	54	1.03
Ill.-Mich. 4/	1,136	5,264	784	4.94	3.98	914	519	21	1.85
Wis.	256	1,237	4,676	3.72	3.78	3,540	3,431	56	1.18
Minn.	1,306	4,862	3,593	3.84	3.83	2,982	2,659	81	1.44
Iowa	1,057	4,058	1,174	6.99	6.47	1,389	859	13	.79
Mo.	264	181	11,733	3.29	3.32	10,628	8,441	280	1.53
Del.	3,591	15,087	27,689	3.80	3.90	18,558	20,448	321	2.07
Md.	6,662	7,105	34,551	3.76	3.83	25,175	24,954	466	1.41
Va.	9,411	35,358	13,018	3.23	3.11	9,956	9,361	259	1.47
N. C.	4,326	18,246	63,190	3.52	3.46	38,806	46,377	615	2.06
S. C.	15,037	52,876	6,117	3.47	3.44	4,263	4,408	120	1.29
Ga.	1,683	5,844	93,798	3.45	3.39	62,003	68,863	183	2.29
Ky.	24,403	84,198	7,833	3.50	3.43	5,588	5,574	85	2.04
Tenn.	2,284	7,869	18,157	3.50	3.44	12,306	13,295	103	1.19
Ala.	4,858	5,280	57,304	3.46	3.43	37,538	42,014	403	1.63
Miss.	14,743	50,999	36,688	3.42	3.31	25,040	26,933	915	2.48
Ark.	11,064	34,401	65,013	3.38	3.32	44,244	46,116	664	2.15
La.-Okla. 4/	19,579	62,409	8,389	3.40	3.39	5,862	6,136	1,108	1.98
Texas	2,372	8,073	29,584	3.38	3.36	19,692	21,345	136	1.87
Idaho	8,090	27,320	1,430	3.58	3.50	1,116	1,060	383	1.56
Utah 3/ 5/	432	1,546	160	---	---	---	---	17	1.02
Wash.	42	---	2,551	3.76	3.63	1,647	1,818	---	---
Calif.	703	2,348	10,401	3.61	3.57	7,076	7,404	25	1.15
	2,988	9,843	3,80	3.80	3.57	---	---	183	2.08

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 pounds. 4/ Combined to avoid disclosure of individual operations. 5/ Data for only 1 year published in order to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal inspection, by regions and selected States, October 1961 and 1962

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations	
		1961	1962	1961	1962	1961	1962	1961	1962
		Thou.	Thou.	lbs.	lbs.	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
N. Atl.	2,912	3,060	2,703	4.98	4.91	1,686	1,965	49	181
E. N. Cent.	2,597	14,489	15,012	4.36	4.32	7,694	10,139	208	1.54
W. N. Cent.	6,549	11,318	10,736	4.34	4.32	7,648	294	282	3.05
S. Atl.	1,870	28,451	30,078	4.36	4.29	18,843	19,509	982	3.74
S. Cent.	1,117	10,287	12,514	5.50	5.63	7,329	8,950	237	2.53
West.	979	6,576	8,219	5.89	6.06	4,601	5,731	182	3.43
		4,106	4,347	4.19	4.22	2,809	2,858	124	3.95
U. S.	16,024	75,227	80,906	4.69	4.71	50,924	54,504	2,042	3.03
Maine	365	423	2,307	6.32	6.39	1,686	1,965	49	2.37
Conn.	93	94	599	6.43	6.21	415	405	10	1.84
N. Y.	308	336	1,417	4.69	4.21	948	968	22	1.68
N. J.	1,391	1,327	5,236	4.05	3.95	3,474	3,248	86	1.71
Pa.	295	500	2,722	5.46	5.44	1,095	1,880	19	1.55
Ohio	548	591	2,580	4.52	4.37	1,727	1,778	70	3.11
Ind.	1,035	764	3,467	4.42	4.54	2,791	2,386	91	2.23
Ill.	705	788	3,261	4.13	4.14	2,605	2,200	96	3.68
Mich.	25	29	113	4.55	4.34	63	76	4	3.11
Wis.	284	311	1,303	4.35	4.19	462	877	21	1.89
Minn.	3,202	3,320	13,607	4.25	4.12	8,910	8,669	563	4.62
Iowa	643	1,063	4,589	4.31	4.32	1,907	3,085	75	3.02
Mo.	763	841	4,109	4.61	4.89	2,500	2,786	80	2.55
N. Dak.-S. Dak. 3/	474	431	1,938	4.68	4.50	1,424	1,260	76	3.82
Nebr.	1,406	1,345	5,680	4.30	4.22	3,907	3,656	179	3.31
Kans. 4/	61	---	---	4.85	---	195	---	9	3.39
Del.	61	64	409	6.75	7.49	295	348	4	1.15
Ma.	568	648	2,276	4.01	3.94	1,604	1,839	59	2.92
Va.	198	219	1,120	5.65	5.77	789	905	24	2.38
N. C.	446	573	3,445	5.93	6.01	1,869	2,413	56	2.33
S. C.	63	59	365	6.11	6.19	276	265	12	3.29
Ga.	514	644	4,320	6.53	6.71	2,429	3,117	80	2.68
Ky. 4/	25	---	---	6.25	---	108	---	2	1.67
Tenn.	227	291	1,816	5.62	6.25	880	1,251	22	1.85
Ala.	246	288	1,472	6.00	5.93	1,072	1,066	44	3.34
Miss.	101	168	939	6.79	5.59	485	667	15	2.40
Ark.	148	255	1,013	6.83	7.31	710	1,295	30	3.24
La.-Okla. 3/	95	76	1,863	6.17	5.83	406	302	23	4.37
Texas	275	245	1,308	5.05	5.34	940	894	46	3.65
Idaho	18	21	93	4.99	4.46	60	63	2	3.26
Utah	112	54	198	3.74	3.71	291	142	4	1.18
Wash.	94	116	500	4.48	4.31	273	320	10	2.76
Calif.	730	830	3,077	4.22	4.22	2,113	2,294	101	3.67

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Combined to avoid disclosure of individual operations. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, October 1962

Region and State	Tuber- : Leu- : Septi- : Airsac- : Inflam- : Para- : Contam- : Over- : Decomp- : : culosis :cosis :cemia : culitis: matory : Tumors : sites: Bruises: Cadaver: Ination: sca:ld:osition :Other : Total		No.		No.		No.		No.		No.		No.		No.		No.	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	137	6,040	19,906	35	10,689	7,513	6	802	1,683	3,016	390	266	22	50,505				
E. N. Cent.	12,320	9,384	22,652	117	8,713	10,177	715	1,625	2,622	6,046	218	570	4,890	80,049				
W. N. Cent.	66,440	15,388	45,468	349	27,429	16,174	1,137	3,138	5,755	12,084	2,696	274	67,302	263,634				
S. Atl.	30	2,753	14,744	378	7,384	2,840	5	730	2,012	3,259	580	3	25,864	60,582				
S. Cent.	61	3,235	13,238	682	7,186	2,264	267	459	1,073	7,104	110	98	18,772	54,549				
West.	1	831	15,085	269	6,615	7,631	259	1,370	665	1,907	61	13	10,292	44,999				
U.S.	78,989	37,631	131,093	1,830	68,016	46,599	2,389	8,124	13,810	33,416	4,055	1,224	127,142	554,318				
Maine	2	582	2,597	19	2,427	386	---	71	80	765	22	---	---	6,951				
Conn.	---	168	756	4	727	162	---	11	---	80	---	---	---	1,908				
N. Y.	---	527	2,119	---	1,210	1,086	1	245	599	222	154	247	---	6,410				
N. J.	85	3,241	7,400	6	2,706	4,403	1	263	713	848	127	7	---	19,800				
Pa.	48	673	4,501	5	2,072	806	1	81	209	792	26	10	1	9,225				
Ohio	1,700	3,012	3,560	6	3,012	2,155	637	153	1,058	1,664	16	9	2,923	19,905				
Ind.	2,104	2,711	10,057	24	2,103	3,841	17	313	604	1,267	45	---	1,110	24,196				
Ill.	4,894	1,294	7,424	29	1,395	2,426	49	1,058	777	2,864	149	560	653	23,572				
Mich.	133	57	231	9	38	133	---	12	25	16	7	1	2	664				
Wis.	3,489	2,310	1,380	49	2,165	1,622	12	89	158	235	1	---	202	11,712				
Minn.	25,786	4,510	17,483	116	12,626	11,403	668	1,230	3,391	6,539	1,814	13	42,992	128,571				
Iowa	4,497	1,923	9,529	24	2,355	1,080	102	326	836	1,524	182	---	6,862	31,240				
Mo.	2,031	1,433	5,489	69	2,839	955	234	636	725	1,074	83	2	4,072	19,642				
N.Dak.-S.Dak.	5,740	1,347	4,254	9	2,593	1,033	12	289	434	429	5	---	8,609	25,154				
Neb.	26,386	6,162	8,548	38	6,528	1,669	121	649	355	2,502	612	258	4,767	58,595				
Del.	---	205	740	8	344	114	---	7	23	27	9	---	---	1,477				
Md.	30	1,725	8,417	4	4,206	798	---	491	923	338	202	---	151	17,285				
Va.	---	319	2,818	71	1,629	599	---	11	154	198	45	---	---	5,844				
N. C.	---	125	1,362	97	557	257	---	97	576	1,154	306	1	10,513	15,045				
S. C.	---	19	61	12	34	54	---	14	43	99	1	---	1,218	1,555				
Ga.	---	345	1,329	139	592	999	5	105	289	1,417	17	2	13,751	18,990				
Tenn.	---	482	4,282	233	1,705	243	---	133	229	2,178	44	21	3,900	13,450				
Ala.	---	173	340	9	125	170	---	22	263	306	5	1	5,948	7,362				
Miss.	---	65	1,769	62	43	109	---	32	115	1,759	4	15	1,277	5,250				
Ark.	---	241	2,152	319	1,183	253	---	73	183	1,170	17	16	3,432	9,039				
Ia.-Okla.	56	201	1,745	21	119	482	264	24	108	432	1	---	138	4,591				
Texas	---	2,058	2,910	33	2,996	542	3	138	167	1,107	39	45	2,710	12,748				
Idaho	---	55	600	19	56	109	---	11	18	47	---	---	19	934				
Utah	---	80	243	5	41	78	---	8	2	15	12	---	---	485				
Wash.	---	121	2,778	---	396	355	---	21	41	362	5	---	1,462	5,611				
Calif.	---	468	11,385	243	6,056	7,086	258	1,329	601	1,480	44	5	8,811	37,766				

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, October 1961 and 1962

Region and State	Number inspected	Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (ready-to-cook wt.)		Post-mortem condemnations	
	1961	1962	1961	1962	1961	1962	1961	1962	Percent
N. Atl.	Thou. 239	Thou. 255	pounds 6,239	pounds 5,293	pounds 18.96	pounds 20.76	pounds 1,000	pounds 1,000	Percent 1.34
E. N. Cent.	2,156	1,939	41,616	38,704	19.30	19.96	33,326	31,194	0.77
W. N. Cent.	5,958	5,508	116,469	108,687	19.55	19.73	92,636	87,479	1.08
S. Atl.	934	912	16,867	16,867	18.00	18.49	13,113	13,264	1.71
S. Cent.	1,810	1,737	36,993	35,285	20.44	20.29	28,931	27,940	1.36
West.	3,771	3,613	77,319	75,072	20.50	20.78	61,700	59,663	1.96
U.S.	14,958	13,964	295,444	279,908	19.75	20.04	234,436	223,722	1.84
Pa.	266	196	4,997	4,166	18.75	21.29	3,772	3,327	1.65
Ohio	399	308	8,239	6,190	20.66	20.10	6,542	4,992	.71
Ind.	665	608	13,200	12,535	19.86	20.61	10,752	10,204	.44
Ill.-Mich. 3/	397	435	8,264	9,081	20.82	20.88	6,603	7,236	33
Wis.	695	588	11,913	10,898	17.14	18.54	9,429	8,762	115
Minn.	2,690	2,690	52,053	50,784	18.68	18.88	41,405	41,015	84
Iowa	1,277	1,201	25,936	24,175	20.30	20.13	20,737	19,606	107
Mo.	931	688	18,970	14,876	20.38	21.62	14,956	11,704	808
N. Dak.-S. Dak. 3/	267	288	4,980	5,840	18.65	20.28	4,000	4,713	652
Nebr.	420	466	9,149	9,633	21.76	20.65	7,328	7,779	340
Kans.	276	175	5,381	3,379	19.50	19.31	4,210	2,662	70
Va.	349	350	5,796	6,301	16.60	17.98	4,257	4,729	49
N. C.	320	360	6,176	6,943	19.30	19.28	4,990	5,589	19
S. C.	94	52	1,919	1,052	20.35	20.39	1,549	853	7
Ga.	89	108	1,849	1,914	20.85	17.74	1,487	1,571	12
Ky.	275	254	5,685	5,009	20.68	19.72	4,391	3,933	20
Ark.	513	435	10,692	9,242	20.84	21.27	8,273	7,258	75
Okla.	326	310	6,480	6,108	19.96	19.71	5,075	4,920	58
Texas	644	703	13,188	14,349	20.47	20.42	10,467	11,380	181
Colo.	365	340	7,477	7,927	20.48	23.34	6,002	6,512	101
Utah	672	637	14,928	14,295	22.23	22.43	12,128	11,560	203
Wash. 4/	66	---	1,342	---	20.48	---	1,033	---	51
Oreg.	203	206	4,208	4,293	20.75	20.88	3,346	3,427	150
Calif.	2,437	2,327	48,847	46,507	20.04	19.99	38,769	36,527	16
									62
									995
									1,171
									2.27
									2.80

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, October 1962

Region and State	Tuber- culosis		Leu- cosis		Septi- cemia		Airsac- culitis		Inflam- matory		Tumors		Para- sites		Bruises		Cadaver incision		Contam- ination		Over- exposure		Decom- position		Other		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	---	---	13	1,913	730	380	2	---	36	132	59	4	1	30	3,300												
E. N. Cent.	---	---	57	5,630	4,794	1,345	47	2	149	651	566	210	18	1,584	15,053												
W. N. Cent.	---	---	413	21,612	30,999	3,391	97	6	699	1,772	2,293	674	88	12,834	74,878												
S. Atl.	---	---	43	4,274	5,380	2,463	12	1	64	1,90	275	31	1	1,664	14,398												
S. Cent.	---	---	236	8,762	9,763	4,118	34	3	176	280	798	23	5	4,200	28,405												
West	---	---	47	11,294	29,643	15,269	105	1	1,082	837	2,102	295	29	15,996	76,700												
U.S.	---	---	811	53,485	81,314	26,966	297	13	2,206	3,862	6,093	1,237	142	36,308	212,734												
Pa.	---	---	4	1,538	54	227	2	---	13	73	35	4	1	16	1,967												
Ohio	---	---	13	486	297	241	18	---	28	111	135	25	4	189	1,547												
Ind.	---	---	6	2,095	1,714	304	4	---	16	73	104	10	1	320	4,647												
Ill.-Mich. 1/	---	---	5	1,676	1,037	242	9	---	41	313	198	123	2	73	3,719												
Wis.	---	---	33	1,373	1,746	558	16	2	64	154	129	52	11	1,002	5,140												
Minn.	---	---	64	7,707	16,642	1,021	68	6	269	836	1,126	409	15	7,801	35,964												
Iowa	---	---	272	8,336	6,730	588	15	---	118	397	440	136	64	1,345	18,441												
Mo.	---	---	7	2,087	4,502	1,008	2	---	43	186	342	8	---	2,045	10,230												
N.Dak.-S.Dak. 1/	---	---	5	989	1,321	117	4	---	63	180	27	29	---	69	2,804												
Nebr.	---	---	62	1,823	1,125	561	6	---	166	74	260	49	2	1,083	5,211												
Kans.	---	---	3	670	679	96	2	---	40	99	49	43	7	491	2,228												
Va.	---	---	15	2,629	4,973	1,052	---	---	12	117	49	10	---	---	8,857												
N. C.	---	---	23	997	229	1,038	6	---	39	40	187	14	---	---	4,098												
S. C.	---	---	---	188	40	108	---	---	4	14	8	---	---	---	478												
Ga.	---	---	5	283	136	228	5	1	9	3	31	1	1	23	726												
Ky.	---	---	20	1,579	687	393	2	---	36	97	186	3	---	153	3,156												
Ark.	---	---	12	221	4,173	206	6	---	38	26	245	4	---	3,330	8,261												
Okla.	---	---	16	1,815	1,139	588	3	---	38	27	161	5	2	3	3,799												
Texas	---	---	188	5,003	3,709	2,912	23	3	64	129	201	10	3	714	12,959												
Colo.	---	---	---	126	270	555	3	---	21	111	30	42	4	69	1,631												
Utah	---	---	6	2,273	1,492	1,189	4	---	178	169	171	2	1	21	5,306												
Oreg.	---	---	6	1,721	1,112	647	34	---	25	84	117	---	---	187	3,987												
Calif.	---	---	34	6,940	25,853	12,477	63	1	823	457	1,719	251	---	15,682	64,300												

1/ Combined to avoid disclosure of individual operations.

Fryer-Roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, October 1961 and 1962

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations	
		1961	1962	1961	1962	1961	1962	1961	1962
State	1961	1962	1961	1962	1961	1962	1961	1962	1962
Thou.	Thou.	pounds	pounds	pounds	pounds	pounds	pounds	Percent	Percent
N. Atl. 2/	13	67	118	595	9.08	8.86	1,000	1,000	5
E. N. Cent.	332	373	3,067	3,281	9.24	8.80	2,620	30	30
W. N. Cent.	825	889	7,296	7,833	8.84	8.81	6,125	108	110
S. Atl.	578	413	4,891	3,618	8.46	8.76	2,668	86	81
S. Cent.	103	41	863	356	8.38	8.68	280	5	2
West.	42	57	364	484	8.67	8.49	366	3	5
U.S.	1,893	1,840	16,599	16,167	8.77	8.79	12,809	232	233
Ohio	67	46	581	394	8.65	8.49	442	4	3
Wis.	233	299	2,176	2,641	9.36	8.82	1,685	24	26
Minn.	596	731	5,380	6,512	9.02	8.91	4,214	87	99
Iowa	131	92	1,102	757	8.42	8.18	855	12	7
Va.	554	406	4,682	3,552	8.46	8.74	2,618	86	81
Ark. 4/	---	36	---	310	---	8.63	243	---	2
Calif.	35	51	310	439	8.85	8.59	233	3	5

Fryer-Roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, October 1962

Region and State	Tuber-		Leu-		Septi-		Airsac-		Inflam-		Para-		Tumors		Bruises		Cadaverina		Over-		Decom-		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
State	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	228	---	9	---	1	---	---	---	---	---	16	17	---	---	---	---	---	---	---	---	278	---
E. N. Cent.	---	16	1,108	315	187	2	---	---	---	---	---	---	145	215	16	---	---	---	---	---	---	1,181	3,229	---
W. N. Cent.	---	5	1,975	5,534	198	6	---	---	---	---	---	---	139	678	48	2	---	---	---	---	---	3,210	12,236	---
S. Atl.	---	6	1,725	6,362	222	---	---	---	---	---	---	---	117	140	12	---	---	---	---	---	---	30	8,621	---
S. Cent.	---	2	12	22	6	---	---	---	---	---	---	---	6	93	---	---	---	---	---	---	---	44	189	---
West.	---	2	144	44	38	3	---	---	---	---	---	---	15	101	5	---	---	---	---	---	---	126	494	---
U.S.	---	33	5,193	12,277	660	12	---	---	---	---	---	---	739	1,244	81	2	---	---	---	---	---	4,591	25,047	---
Ohio	---	1	79	21	15	---	---	---	---	---	---	---	49	79	8	---	---	---	---	---	---	12	272	---
Wis.	---	14	986	249	171	2	---	---	---	---	---	---	92	123	8	---	---	---	---	---	---	1,160	2,840	---
Minn.	---	5	1,475	4,978	115	6	---	---	---	---	---	---	331	600	45	1	---	---	---	---	---	3,078	10,755	---
Iowa	---	---	338	89	15	---	---	---	---	---	---	---	66	23	3	---	---	---	---	---	---	91	641	---
Va.	---	6	1,723	6,362	222	---	---	---	---	---	---	---	112	140	12	---	---	---	---	---	---	---	8,584	---
Ark.	---	2	---	19	6	---	---	---	---	---	---	---	5	86	---	---	---	---	---	---	---	44	165	---
Calif.	---	1	139	43	35	3	---	---	---	---	---	---	14	97	5	---	---	---	---	---	---	126	477	---

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 pounds. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal inspection, by regions and selected States, October 1961 and 1962

Region and State	Number inspected		Pounds inspected		Average live weight inspected 1/		Total pounds certified		Pounds (NYD)		Percent 2/	
	: 1961 : 1962 :		: 1961 : 1962 :		: 1961 : 1962 :		: 1961 : 1962 :		: 1961 : 1962 :		: 1961 : 1962 :	
	Thou.	1,000 pounds	Thou.	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	pounds	pounds	Percent	Percent
N.Atl. 3/	---	---	---	---	---	---	---	---	---	---	---	---
E.N.Cent.	24	424	77	341	17.67	19.25	61	5	1	1.31	1.44	1.44
W.N.Cent.	24	388	512	307	16.17	15.52	407	9	9	2.58	1.95	1.95
S.Atl.	3	53	19	43	17.67	19.00	15	1	---	2.10	---	---
S.Cent.	9	229	214	180	25.44	30.57	168	2	1	.97	.52	.52
West.	12	234	357	185	19.50	18.79	291	7	2	3.34	.62	.62
U.S.	72	1,328	1,179	1,056	18.44	18.42	942	24	13	2.01	1.23	1.23
Wis. 4/	8	137	---	108	17.89	---	---	2	---	1.55	---	---
Minn.	24	386	366	305	15.87	15.57	291	9	8	2.56	2.43	2.43
Calif. 4/	12	234	---	185	19.28	---	---	7	---	2.97	---	---

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, October 1962

Region and State	Tuber- : No.		Leu- : No.		Septi- : No.		Airsac- : No.		Inflam- : No.		Tumors : No.		Para- : No.		Eruises : No.		Cadaver- : No.		Contam- : No.		Over- : No.		Decom- : No.		Other : No.		Total : No.	
	: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.	
	: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.		: No.	
N.Atl.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E.N.Cent.	---	---	---	7	17	---	---	---	9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
W.N.Cent.	---	3	93	301	47	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S.Atl.	---	---	---	16	---	---	---	---	9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S.Cent.	---	---	---	17	1	---	---	---	7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
West.	---	---	---	62	---	---	---	---	9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
U.S.	---	3	195	319	81	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Minn.	---	3	84	274	40	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 head or 500 pounds. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON 25, D. C.

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS



Growth Through Agricultural Progress

Definitions -

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.